



August, 21, 2011

Ms. Grissel V. Diaz-Cotto
Emergency and Remedial Response Division
United States Environmental Protection Agency
Region II
290 Broadway, 19th Floor
New York, NY 10007-1866

**Re: July 2011 Discharge Monitoring Report
Leachate Treatment Plant, Operable Unit 1
Kin-Buc Landfill Superfund Site**

Dear Ms. Diaz-Cotto:


Please find enclosed the July 2011 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit One at the Kin-Buc Landfill Superfund Site.

Weston & Sampson Services, Inc. would like to confirm the following:

- Effluent parameters were within permitted limits.
- The treatment plant operated well during the month of July.

Should you have any questions concerning this DMR or the Treatment Plant, please contact me at your earliest convenience at the Kin-Buc site.

Very truly yours,
Weston & Sampson Services, Inc., on behalf of SCA Services, Inc.


Glenn Grieb
Plant Manager

Enclosure

Cc: Martha Goodwin – NJDEP
Stephen Joyce – SC Holdings, Inc.
Carl Januszkiewicz – SC Holdings, Inc.
John A. Bocchino, Jr. – Weston & Sampson Services, Inc.

294318



Massachusetts

Five Centennial Drive (HQ)
Peabody, MA 01960-7985
100 Foxborough Blvd., Suite 250
Foxborough, MA 02035
225 New Boston Street
Woburn, MA 01801
One Trowbridge Road, Suite 750
Bourne, MA 02532

Connecticut

273 Dividend Road
Rocky Hill, CT 06067

Rhode Island

477B Tiogue Avenue
Coventry, RI 02816

New Hampshire

100 International Drive
Suite 152
Portsmouth, NH 03801

Maine

PO Box 189
York, ME 03909

Vermont

96 South Main Street
Suite 2
Waterbury, VT 05676

New York

301 Manchester Road
Suite 201A
Poughkeepsie, NY 12603

Florida

1990 Main Street
Suite 750
Sarasota, FL 34236

Date August 19, 2011

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

MONTH

0	7
---	---

 YEAR

1	1
---	---

Others

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
8	0	3	0	0	0	9	8	0	0	9	8	8	9	0	0
8	0	0	0	8	8	8	8	4	5	4	8	8	8	8	2
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
0	9	8	0	4	4	0	4	10	9	9	0	3	0	4	
0	8	8	8	8	8	0	2	8	8	8	8	8	2	4	

NJPDES NO.

*						
---	--	--	--	--	--	--


*NJ Permit Equivalent


M	o.	Y	r.
0	7	1	1

Operating Exceptions

OTHER X

NOTE: The "Hours Attended at Plant" on the reverse of this sheet must also be completed.

Name (Printed) Glenn Grieb
Grade & Registry No. N-4 ; 0021202
Signature 

Name (Printed) Glenn Grieb
Title (Printed) Plant Operations Manager
Signature 

PERMITTEE NAME/ADDRESS
NAME
ADDRESS
FACILITY
LOCATION

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817
KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
11	07	01	11	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.020808	0.032660	MGD	*****	*****	*****	***	***	continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT	*****	*****	***	8.51	*****	8.54	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		6.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT	*****	*****	***	*****	0.42	0.6	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	15.03	18.66	kg/day	*****	140	170	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD	SAMPLE MEASUREMENT	*****	*****	***	*****	<5.5	<5.5	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	*****	*****		*****	56	220			2/month	comp.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	0.42	0.70	kg/day	*****	3.80	6.00	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT	*****	*****	***	4.77	*****	*****	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		4.0 MIN Instantaneous	*****	*****			weekly	grab
NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		11 08 19		
TYPED OR PRINTED							AREA CODE NUMBER		YEAR MO DAY		

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS
NAME
ADDRESS
FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817
KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
11	07	01	11	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BENZENE	SAMPLE MEASUREMENT	<0.0000139	<0.0000143	kg/day	*****	<0.13	<0.13	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.009	0.02		*****	57	134			2/month	grab
CHLOROBENZENE	SAMPLE MEASUREMENT	<0.0000171	<0.0000176	kg/day	*****	<0.16	<0.16	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380			2/month	grab
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.0000107	<0.0000110	kg/day	*****	<0.10	<0.10	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.003	0.009		*****	22	59			2/month	grab
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.0000267	<0.0000275	kg/day	*****	<0.25	<0.25	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380			2/month	grab
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000213	<0.0000220	kg/day	*****	<0.20	<0.20	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.008	0.025		*****	52	164			2/month	grab
TOLUENE	SAMPLE MEASUREMENT	<0.0000113	<0.0000132	kg/day	*****	<0.11	<0.12	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.011		*****	28	74			2/month	grab
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000149	<0.0000154	kg/day	*****	<0.14	<0.14	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.009		*****	25	60			2/month	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		11 08 19		
TYPED OR PRINTED							AREA CODE NUMBER		YEAR MO DAY		
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT		001	
PERMIT NUMBER		DISCHARGE NUMBER	
MONITORING PERIOD			
YEAR	MO	DAY	TO
11	07	01	11 07 31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000192	<0.0000198	kg/day	*****	<0.18	<0.18	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	69			2/month	grab
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.0000143	<0.0000152	kg/day	*****	<0.13	<0.13	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	106			weekly	grab
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.0000373	<0.0000373	kg/day	*****	<0.350	<0.360	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.0000331	<0.0000332	kg/day	*****	<0.31	<0.32	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.0000384	<0.0000384	kg/day	*****	<0.360	<0.370	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.0000395	<0.0000395	kg/day	*****	<0.370	<0.380	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.0000437	<0.0000439	kg/day	*****	<0.410	<0.420	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)				TELEPHONE		DATE			
Glenn Grieb Project Manager						732 572-4743		11 08 19			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE NUMBER		YEAR MO DAY			

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)
<0.00017

PERMITTEE NAME/ADDRESS


NAME SCA SERVICES, INC.
ADDRESS 383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY KIN-BUC LANDFILL
LOCATION EDISON, NEW JERSEY
ATTN: CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	TO	YEAR	MO DAY
11	07	01		11	07 31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.0000304	<0.0000307	kg/day	*****	<0.285	<0.290	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
PHENANTHRENE	SAMPLE MEASUREMENT	<0.0002256	<0.0004336	kg/day	*****	<1.993	<3.70	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab
ALDRIN	SAMPLE MEASUREMENT	<0.0000011	<0.0000011	kg/day	*****	<0.010	<0.010	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.176			monthly	grab
4,4-DDT	SAMPLE MEASUREMENT	<0.0000012	<0.0000013	kg/day	*****	<0.011	<0.011	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.0000578	0.000146		*****	0.38	0.766			weekly	grab
PCB-1242	SAMPLE MEASUREMENT	<0.0000176	<0.0000187	kg/day	*****	<0.16	<0.16	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1248	SAMPLE MEASUREMENT	<0.0000231	0.000246	kg/day	*****	<0.21	<0.21	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1254	SAMPLE MEASUREMENT	<0.0000143	<0.0000152	kg/day	*****	<0.13	<0.13	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab

NAME/TITLE	PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)		TELEPHONE	DATE		
	Glenn Grieb Project Manager			732 572-4743	11 08 14		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS	(REFERENCE ALL ATTACHMENTS HERE)						

PERMITTEE NAME/ADDRESS

NAME

ADDRESS

FACILITY

LOCATION


ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	07	01		11	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
PCB-1260	SAMPLE MEASUREMENT	<0.0000132	<0.0000141	kg/day	*****	<0.12	<0.12	ug/L	0	1/week	grab	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab	
ARSENIC	SAMPLE MEASUREMENT	0.0006522	0.0009597	kg/day	*****	5.90	8.70	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.013	0.028		*****	85.8	172			weekly	comp	
CADMIUM	SAMPLE MEASUREMENT	0.0001058	<0.0001125	kg/day	*****	1.0	1.0	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.0073	0.017		*****	48.2	112			weekly	comp	
CHROMIUM	SAMPLE MEASUREMENT	0.0003527	0.0003750	kg/day	*****	3.20	3.20	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.086	0.080		*****	198	396			weekly	comp	
COPPER	SAMPLE MEASUREMENT	0.0003433	0.0004997	kg/day	*****	3.1	4.6	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp	
LEAD	SAMPLE MEASUREMENT	0.0003087	0.0003281	kg/day	*****	2.80	2.80	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp	
NICKEL	SAMPLE MEASUREMENT	0.0038032	0.0043021	kg/day	*****	34.5	39.0	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.140	0.281		*****	924	1850			weekly	comp	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)						TELEPHONE		DATE		
Glenn Grieb Project Manager								732 572-4743		11 08 19		
TYPED OR PRINTED						SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)										

PERMITTEE NAME/ADDRESS

NAME

ADDRESS

FACILITY

LOCATION


ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
11	07	01		11	07	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ZINC	SAMPLE MEASUREMENT	0.0006283	0.0006679	kg/day	*****	5.7	5.7	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.177	0.358		*****	1178	2350			weekly	comp
CYANIDE	SAMPLE MEASUREMENT	<0.0006945	<0.0007383	kg/day	*****	6.3	6.3	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.002	0.004		*****	12.2	26.4			weekly	comp
ALUMINUM	SAMPLE MEASUREMENT	0.0184295	0.0279774	kg/day	*****	168.0	270.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	1.40	2.81		*****	9240	18500			weekly	comp
IRON	SAMPLE MEASUREMENT	0.0058286	0.0074608	kg/day	*****	53.3	72.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	80.6	162		*****	532000	1070000			weekly	comp
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT	QUARTELY	REPORT	***	n/a	*****	*****	%	0		
	PERMIT REQUIREMENT	*****	*****		50(3)	*****	*****			see permit	equivalent
Ammonia	SAMPLE MEASUREMENT	*****	*****	***	*****	0.205	0.290	mg/l	0	*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	4.9	10.0			2/month	comp
	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	*****	***	***	*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****			*****	*****
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Glenn Grieb Project Manager								732 572-4743		11 08 19	
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									